




Programming in Python – Lecture#1

Adeel-ur-Rehman



Scheme of Lecture


- ◆ What is Python?
- ◆ History of Python
- ◆ Installation of Python
- ◆ Interactive Mode
- ◆ Python Basics
- ◆ Functions
- ◆ String Handling
- ◆ Data Structures



What is Python?

- ◆ Python is a computer programming language which is:
 - General-purpose
 - Open source
 - Object-oriented
 - Interpreted

- ◆ Used by hundreds of thousands of developers around the world in areas such as:
 - Internet scripting
 - System programming
 - User interfaces



What is Python?

- ◆ Combines remarkable power with very clear syntax.
- ◆ Also usable as an extension language.
- ◆ Has portable implementation:
 - Many brands of UNIX
 - Windows
 - OS/2
 - Mac
 - Amiga



History of Python

- ◆ Created in the early 1990s
- ◆ By Guido van Rossum.
- ◆ At Stichting Mathematisch Centrum in the Netherlands.
- ◆ As a successor of a language called ABC.
- ◆ Guido remains Python's principal author.
- ◆ Includes many contributions from others.




Installation of Python

- ◆ The current production versions are [Python 2.6.3](#) and [Python 3.1.1](#).
- ◆ Download [Python-2.6.3.tgz](#) file from the URL: <http://www.python.org/download/>
- ◆ Unzip and untar it by the command:
 - `tar -zxvf Python-2.6.3.tgz`
- ◆ Change to the `Python-2.6.3` directory and run:
 - `./configure` to make the `Make` file
 - `make` to create `./python` executable
 - `make install` to install `./python`



Interactive Mode

- ◆ On Linux systems, the Python is already installed usually.
- ◆ But it does not have any unique interface for programming in it.
- ◆ An attractive interface is **IDLE** which does not get automatically installed with the Linux distribution.
- ◆ Type **python** on the console and then try the statement **print "Python Course"** on the invoked interpreter prompt.
- ◆ To use the interpreter prompt for executing Python statements is called **interactive mode**.



Operators in Python

| Operators | Description |
|------------------|--------------------|
| lambda | Lambda Expression |
| or | Boolean OR |
| and | Boolean AND |
| not x | Boolean NOT |




Operators in Python

| Operators | Description |
|----------------------|--------------------|
| in, not in | Membership tests |
| is, is not | Identity tests |
| <, <=, >, >=, !=, == | Comparisons |
| | Bitwise OR |



Operators in Python

| Operators | Description |
|------------|--------------------------|
| \wedge | Bitwise XOR |
| $\&$ | Bitwise AND |
| \ll, \gg | Shifts |
| $+, -$ | Addition and Subtraction |



Operators in Python

| Operators | Description |
|------------------|--|
| $*$, $/$, $\%$ | Multiplication, Division and Remainder |
| $+X$, $-X$ | Positive, Negative |
| $\sim X$ | Bitwise NOT |
| $**$ | Exponentiation |



Operators in Python

| Operators | Description |
|-------------------|---------------------|
| x.attribute | Attribute reference |
| x[index] | Subscription |
| x[index:index] | Slicing |
| f(arguments, ...) | Function call |



Operators in Python

| Operators | Description |
|---------------------------------|--------------------------|
| <code>(expressions, ...)</code> | Binding or tuple display |
| <code>[expressions, ...]</code> | List display |
| <code>{key:datum, ...}</code> | Dictionary display |
| <code>`expressions, ...`</code> | String conversion |




Decision Making Statements

```
# Decision Making in Python
number = 23
guess = int(raw_input('Enter an integer : '))
if guess == number:
    print 'Congratulations, you guessed it'
    print "(but you don't win any prizes!)"
elif guess < number:
    print 'No, it is a little higher than that.'
else:
    print 'No, it is a little lower than that.'
print 'Done'
```



Loops

- ◆ Loops makes an execution of a program chunk iterative.
- ◆ Two types of loops in Python:
 - for loop
 - while loop
- ◆ When our iterations are countable , we often use **for** loop.
- ◆ When our iterations are uncountable, we often use **while** loop.



While Loop Example

```
# While Loop Demonstration
number = 23
stop = False
while not stop:
    guess = int(raw_input('Enter an integer : '))
    if guess == number:
        print 'Congratulations, you guessed it.'
        stop = True
    elif guess < number:
        print 'No, it is a little higher than that.'
    else:
        print 'No, it is a little lower than that.'
else:
    print 'The while loop is over.'
    print 'I can do whatever I want here.'
print 'Done.'
```



For Loop Example

```
# For Loop Demonstration
for i in range(1, 5):
    print i # 1 2 3 4
else:
    print 'The for loop is over.'
```



The break Statement

- ◆ The **break** statement is used to break out of a loop statement.
- ◆ i.e., stop the execution of a looping statement.
 - even if the loop condition has not become false
 - or the sequence of items has been completely iterated over
- ◆ An important note is that if you **break** out of a for or while loop, any loop else block is **not** executed.



Using The break Statement

```
# Demonstrating break statement
while True:
    s = raw_input('Enter something : ')
    if s == 'quit':
        break
    print 'Length of the string is', len(s)
print 'Done'
```



The continue Statement

◆ It means:

- To skip the rest of the statements in the current loop cycle.
- and to continue to the next iteration of the loop.

◆ Here is an example of **continue** statement:



Using The continue Statement

```
while True:
```

```
    s = raw_input('Enter something : ')
```

```
    if s == 'quit':
```

```
        break
```

```
    if len(s) < 4:
```

```
        continue
```

```
    print 'Sufficient length'
```



The pass Statement

- ◆ The `pass` statement does nothing.
- ◆ It can be used when a statement is required syntactically but the program requires no action.
- ◆ For example:


```
while True:
```

```
    pass # Busy-wait for keyboard interrupt
```



Functions

- ◆ **Functions** are reusable pieces of programs.
- ◆ They allow us to give a name to a block of statements.
- ◆ We can execute that block of statements by just using that name anywhere in our program and any number of times.
- ◆ This is known as *calling* the function.



Functions

- ◆ Functions are defined using the **def** keyword.
- ◆ This is followed by an *identifier* name for the function.
- ◆ This is followed by a pair of parentheses which may enclose some names of variables.
- ◆ The line ends with a colon and this is followed by a new block of statements which forms the body of the function.




Defining a function

```
def sayHello():  
    print 'Hello World!' # A new block  
    # End of the function  
sayHello() # call the function
```



Function Parameters

- ◆ Are values we supply to the function to perform any task.
- ◆ Specified within the pair of parentheses in the function definition, separated by commas.
- ◆ When we call the function, we supply the values in the same way and order.
- ◆ the names given in the function definition are called *parameters*.
- ◆ the values we supply in the function call are called *arguments*.
- ◆ Arguments are passed using *call by value* (where the *value* is always an object *reference*, not the value of the object).



Using Function Parameters

Demonstrating Function Parameters

```
def printMax(a, b):
```

```
    if a > b:
```

```
        print a, 'is maximum'
```

```
    else:
```

```
        print b, 'is maximum'
```

```
printMax(3, 4) # Directly give literal values
```

```
x = -5
```


```
y = -7
```

```
printMax(x, y) # Give variables as arguments
```




Local and Global Variables

- ◆ While declaring variables inside a function definition:
 - They are not related in any way to other variables with the same names used outside the function
 - That is, variable declarations are **local** to the function.
- ◆ This is called the *scope* of the variable.
- ◆ All variables have the scope of the block they are declared in, starting from the point of definition of the variable.




Using Local Variables

```
# Demonstrating local variables
def func(x):
    print 'Local x is', x
    x = 2
    print 'Changed local x to', x
x = 50
func(x)
print 'x is still', x
```



Local and Global Variables

- ◆ Global variables are used for assigning to a variable defined outside the function.
- ◆ This is used to declare that the variable is **global** i.e. it is not **local**.
- ◆ It is impossible to assign to a variable defined outside a function without the **global** statement.
- ◆ We can specify more than one global variables using the same global statement. For example, **global x, y, z** .



Using global variables

```
# demonstrating global variables
def func():
    global x
    print 'x is', x
    x = 2
    print 'Changed x to', x
x = 50
func()
print 'Value of x is', x
```



The return Statement


- ◆ The **return statement** is used to return from a function i.e. break out of the function.
- ◆ We can optionally return a value from the function as well.
- ◆ Note that a **return statement** without a value is equivalent to return **None**.
- ◆ **None** is a special value in Python which presents nothingness.
- ◆ For example, it is used to indicate that a variable has no value if the variable has a value of **None**.
- ◆ Every function implicitly contains a **return None statement**.
- ◆ We can see this by running `print someFunction()` where the function *someFunction* does not use the return statement such as
- ◆

```
def someFunction():  
    pass
```



The return Statement

```
# Demonstrating the return Statement
def max(x, y):
    if x > y:
        return x
    else:
        return y
print max(2, 3)
```



Strings


- ◆ A string is a *sequence of characters*.
- ◆ Strings are basically just words.
- ◆ Usage of strings:
 - Using Single Quotes ('')
 - Using Double Quotes("")
 - Using Triple Quotes (''' or ''')



Important Features of Strings

◆ Escape Sequences.

- These are the characters starting from `\` (backslash).
- `\` means that the following character has a special meaning in the current context.
- There are various escape characters (also called escape sequences).
- Some of them are:



Escape Sequences

| Escape Sequence | Description |
|-----------------|--|
| <code>\n</code> | Newline. Position the screen cursor to the beginning of the next line. |
| <code>\t</code> | Horizontal tab. Move the screen cursor to the next tab stop. |
| <code>\r</code> | Carriage return. Position the screen cursor to the beginning of the current line; do not advance to the next line. |



Escape Sequences

| | |
|-----------------|---|
| <code>\a</code> | Alert. Sound the system bell (beep) |
| <code>\\</code> | Backslash. Used to print a backslash character. |
| <code>\"</code> | Double quote. Used to print a double quote character. |



Important Features of Strings

◆ Raw Strings.

- To avoid special processing on a string such as escape sequences
- Specify a **raw** string by prefixing **r** or **R** to the string
- e.g., **r"Newlines are indicated by \n."**



Important Features of Strings

◆ Unicode Strings.

- **Unicode** is a standard used for internationalization
- For writing text in our native language such as Urdu or Arabic, we need to have a Unicode-enabled text editor
- To use **Unicode** strings in Python, we prefix the string with **u** or **U**
- E.g., **u"This is a Unicode string."**



Important Features of Strings

◆ Strings are immutable.

- Once created, cannot be changed

◆ String literal concatenation.

- Placing two string literals side by side get concatenated automatically by Python.
- E.g., `'What's ' "your name?"` is automatically converted to `"What's your name?"` .




Some Important String Methods

```
# Demonstrating some String Methods
name = 'Swaroop' # This is a string object
if name.startswith('Swa'):
    print 'Yes, the string starts with "Swa"'
if 'a' in name:
    print 'Yes, it contains the string "a"'
if name.find('war') != -1:
    print 'Yes, it contains the string "war"'
delimiter = '-*-'
mylist = ['Pakistan', 'China', 'Finland', 'Brazil']
print delimiter.join(mylist)
```




Python's Built-in Data Structures

- ◆ Structures which hold data together.
- ◆ Used to store a collection of related data.
- ◆ There are three built-in data structures in Python:
 - List
 - Tuple
 - Dictionary




List

- ◆ A data structure that holds an ordered collection of items.
- ◆ i.e. you can store a *sequence* of items in a **list**.
- ◆ The **list** of items should be enclosed in **square brackets** separated by commas.
- ◆ We can add, remove or search for items in a list.




Using a List

```
# List Demonstration
shoplist = ['apple', 'mango', 'carrot', 'banana']
print 'I have', len(shoplist), 'items to purchase.'
print 'These items are:',
for item in shoplist:
    print item,
print '\nI also have to buy rice.'
shoplist.append('rice')
print 'My shopping list now is', shoplist
```



Using a List

```
shoplist.sort()
print 'Sorted shopping list is', shoplist
print 'The first item I will buy is', shoplist[0]
olditem = shoplist[0]
del shoplist[0]
print 'I bought the', olditem
print 'My shopping list now is', shoplist
```



List

- ◆ We can access members of the **list** by using their position.
- ◆ Remember that Python starts counting from 0.
- ◆ if we want to access the first item in a **list** then we can use `mylist[0]` just like arrays.
- ◆ **Lists** are **mutable**; these can be modified.



Tuple

- ◆ **Tuples** are just like lists except that they are **immutable**.
- ◆ i.e. we cannot modify **tuples**.
- ◆ **Tuples** are defined by specifying items separated by commas within a pair of **parentheses**.
- ◆ Typically used in cases where a statement or a user-defined function can safely assume that the collection of values i.e. the **tuple** of values used will **not** change.



Using Tuples

```
# Tuple Demonstration
zoo = ('wolf', 'elephant', 'penguin')
print 'Number of animals in the zoo is', len(zoo)
new_zoo = ('monkey', 'dolphin', zoo)
print 'Number of animals in the new zoo is', len(new_zoo)
print new_zoo # Prints all the animals in the new_zoo
print new_zoo[2] # Prints animals brought from zoo
print new_zoo[2][2] # Prints the last animal from zoo
```



Dictionary

- ◆ A **dictionary** is like an address-book used to find address/contact details of a person by knowing only his/her name.
- ◆ i.e. we associate **keys** (name) with **values** (details).
- ◆ Note that the key must be **unique**.
- ◆ i.e. we cannot find out the correct information if we have two persons with the exact same name.




Dictionary

- ◆ We can use only immutable values (like strings) for keys of a **dictionary**.
- ◆ But We can use either immutable or mutable values for values.
- ◆ This basically means to say that we can use only simple objects as keys.
- ◆ Pairs of keys and values are specified in a **dictionary** by using the notation:



Dictionary

- ◆ $d = \{ \text{key1} : \text{value1}, \text{key2} : \text{value2} \}$.
- ◆ Notice that:
 - the key and value pairs are separated by a **colon**
 - pairs are separated themselves by commas
 - all this is enclosed in a pair of **curly brackets** or **braces**



Using Dictionaries

```
# Dictionary Demonstration
```

```
ab={ 'Swaroop' : 'python@g2swaroop.net',  
      'Miguel' : 'miguel@novell.com',  
      'Larry' : 'larry@wall.org',  
      'Spammer' : 'spammer@hotmail.com' }
```

```
print "Swaroop's address is %s" % ab['Swaroop']
```

```
# Adding a key/value pair
```

```
ab['Guido'] = 'guido@python.org'
```



Using Dictionaries

```
# Deleting a key/value pair
del ab['Spammer']
print "\nThere are %d contacts in the address-\
book\n" % len(ab)
for name, address in ab.items():
    print 'Contact %s at %s' % (name, address)
if ab.has_key('Guido'):
    print "\nGuido's address is %s" % ab['Guido']
```



Sequences

- ◆ Lists, tuples and strings are examples of sequences.
- ◆ Two of the main features of a sequence is:
 - the *indexing* operation which allows us to fetch a particular item in the sequence
 - and the *slicing* operation which allows us to retrieve a slice of the sequence i.e. a part of the sequence



Using Sequences

```
# Sequence Demonstration
shoplist = ['apple', 'mango', 'carrot', 'banana']
# Indexing or 'Subscription'
print shoplist[0]
print shoplist[1]
print shoplist[2]
print shoplist[3]
print shoplist[-1]
print shoplist[-2]
```




Using Sequences

```
# Slicing using a list  
print shoplist[1:3]  
print shoplist[2:]  
print shoplist[1:-1]  
print shoplist[:]
```



Using Sequences

```
# Slicing using a string  
name = 'swaroop'  
print name[1:3]  
print name[2:]  
print name[1:-1]  
print name[:]
```



References

- ◆ Lists are examples of objects.
- ◆ When you create an object and assign it to a variable, the variable only *refers* to the object and is not the object itself.
- ◆ i.e. the variable points to that part of our computer's memory where the list is stored.



Objects and References

```
# Demonstrating object slicing
shoplist = ['apple', 'mango', 'carrot', 'banana']
mylist = shoplist # Referencing i.e. aliasing
del shoplist[0]
print 'shoplist is', shoplist
print 'mylist is', mylist
mylist = shoplist[:] # Slicing i.e. copying
del mylist[0]
print 'shoplist is', shoplist
print 'mylist is', mylist
```